

ROOF FRAMING PLAN - NORTH  
SCALE: 1/4" = 1'-0"


ROOF DIAPHRAGM:  
ROOF SHEATHING SHALL BE 1/2" WSP CDX w/ 6d RING SHANK NAILS @ 6" (BN) - 6" (EN) - 12" (FN), UNBLOCKED, PII 32/1 G  
TOP PLATE SPLICE: USE (B) - 1 Gd @ EACH END OF SPLICE EXCEPT WHERE SPECIFICALLY DETAILED ON THESE PLANS (SEE STRUCTURAL NOTES)

WSP = WOOD STRUCTURAL PANELS

Engineer/Consultant:  
**ALLEN DESIGNS**  
CONSULTING STRUCTURAL ENGINEERS  
32300 Camino Capistrano, Suite 206  
San Juan Capistrano, CA 92675  
V (949) 248-8588  
2009 ALLEN DESIGNS  
(STRUCTURAL DESIGN)

Pearcy Live/Work Facility  
4068 10th St.  
Riverside, CA

REVISION SCHEDULE		
NO.	DESC.	DATE
BD	RESUBMITTAL	08/03/10



PARTIAL ROOF FRAMING PLAN (NORTH)  
DRAWN BY BA  
CHECKED BY TWA  
PROJECT # 20921  
Building Dept. Resubmittal

S-4.1

© 2009, ALLEN DESIGNS. THE USE AND PUBLICATION OF THESE PLANS AND DETAILS SHALL BE RESTRICTED TO THE ORIGINAL SITE FOR WHICH THEY WERE PREPARED. USE WITHOUT WRITTEN CONSENT OF ALLEN DESIGNS IS PROHIBITED.