



ROOF FRAMING PLAN - SOUTH
SCALE: 1/4" = 1'-0"

ROOF DIAPHRAGM:
ROOF SHEATHING SHALL BE 15/32" WSP CDX w/ 6d RING SHANK NAILS @ 6" (BN) - 6" (EN) - 12" (FN), UNBLOCKED, PII 3211 G
TOP PLATE SPLICE: USE (B) - 1 Gd @ EACH END OF SPLICE EXCEPT WHERE SPECIFICALLY DETAILED ON THESE PLANS (SEE STRUCTURAL NOTES)

WSP = WOOD STRUCTURAL PANELS

Engineer/Consultant:
ALLEN DESIGNS
CONSULTING STRUCTURAL ENGINEERS
32302 Camino Capistrano, Suite 206
San Juan Capistrano, CA 92675
V (949) 248-8988
2009 ALLEN DESIGNS
STRUCTURAL DESIGN

Pearcy Live/Work Facility
4068 10th St.
Riverside, CA

REVISION SCHEDULE		
NO.	DESC.	DATE
BD	RESUBMITTAL	08/03/10



PARTIAL ROOF FRAMING PLAN (SOUTH)

DRAWN BY BA
CHECKED BY TWA
PROJECT # 20921
Building Dept. Resubmittal

S-4.2

© 2009, ALLEN DESIGNS. THE USE AND PUBLICATION OF THESE PLANS AND DETAILS SHALL BE RESTRICTED TO THE ORIGINAL SITE FOR WHICH THEY WERE PREPARED. USE WITHOUT WRITTEN CONSENT OF ALLEN DESIGNS IS PROHIBITED.